| Field Code | Data Element                         | Position | 1   | Length | Associated<br>Event | Record<br>Type | Data Type | Entity               | Attribute          | Attribute   |
|------------|--------------------------------------|----------|-----|--------|---------------------|----------------|-----------|----------------------|--------------------|---|
|            | Name                                 | Start    | End |        |                     |                |           | Table Name           | Column<br>Name     | Description   |
| 151        | Code for FDLP<br>Servicer and Branch | 1        | 5   | 5      | N/A                 | PPC            | Character | FDSLP_SVR            | CODE               | Three-digit code for the FDLP Servicer which is assigned by ED. ONLY THE FIRST THREE CHARACTERS OF THE FIELD.                       |
|            |                                      |          |     |        |                     |                | Character | _HOL                 | _BR_CODE           | Two-digit ED code for uniquely identifying a branch of a FDLP servicer. ONLY THE FIRST THREE CHARACTERS OF THE FIELD.               |
|            |                                      |          |     |        |                     |                | Character | FDSLP_SVR_BR<br>_HOL | FDSLP_SVR<br>_CODE | A code identifying the specific organization that has serviced a loan. ONLY THE LAST TWO CHARACTERS OF THE FIELD.                   |
|            |                                      |          |     |        |                     |                | Character | FS_SBMTL_HIS         | CODE               | The FDLP Servicer/Branch code that is received on the Error Tracking Submittal File Header. THIS FIELD CAN HOLD ALL FIVE CHARACTERS |
| 152        | Student's Social<br>Security Number  | 6        | 14  | 9      | N/A                 | PPC            | Character | STU_SSN              | STU_NO             | Title IV aid recipient or<br>beneficiary's Social Security<br>Number.   |
|            |                                      |          |     |        |                     |                | Character | STU                  | CURR_SSN           | An attribute indicating current social security number for a Title IV aid recipient. This can be updated with corrections.          |
| 153        | Date of Student's<br>Birth           | 15       | 22  | 8      | N/A                 | PPC            | Date      | STU                  | DOB                | Date on which a Title IV aid recipient was born.  |

| Field Code | Data Element                  | Positio | n   | Length | Associated<br>Event | Record<br>Type | Data Type | Entity       | Attribute       | Attribute  |
|------------|-------------------------------|---------|-----|--------|---------------------|----------------|-----------|--------------|-----------------|--|
|            | Name                          | Start   | End |        |                     |                |           | Table Name   | Column<br>Name  | Description  |
| 154        | Student's First Name          | 23      | 34  | 12     | N/A                 | PPC            | Character | STU          | CURR_FST        | An attribute recording the current first name of a Title IV aid recipient.   |
|            |                               |         |     |        |                     |                | Character | STU_NM       | FST             | The first name of a Title IV aid recipient.  |
| 155        | Type of Loan                  | 35      | 36  | 2      | N/A                 | PPC            | Character | LOAN_TYPE    | CODE            | Code indicating type of aid received or guaranteed.  |
|            | Loan Date                     | 37      | 44  | 8      | N/A                 | PPC            | Date      | LOAN         | DT              | This attribute is part of the identifier and has multiple sources depending on the type of loan (FFEL vs. FDLP vs. Campus Based) and the status of the loan. It is normally the date the loan was established. |
| 157        | Indicator of Separate<br>Loan | 45      | 45  | 1      | N/A                 | PPC            | Character | LOAN         | FFEL_DUP_<br>ID |  |
| 158        | Code for Original<br>School   | 46      | 53  | 8      | N/A                 | PPC            | Character | PLUS_BOR     | CURR_SSN        | An attribute indicating current social security number for a Title IV borrower.  |
|            |                               |         |     |        |                     |                | Character | PLUS_BOR_SSN | NO              | Social security number for a Title IV PLUS borrower.   |
| 160        | Record Type<br>Indicator      | 63      | 63  | 1      | N/A                 | PPC            | Character |              |                 | Identifies type of record.   |
| 161        | Action Code                   | 64      | 64  |        | N/A                 | PPC            | Character |              |                 |  |
| 162        | Old Date of Loan<br>Status    | 65      | 72  | 8      | Loan Status         | PPC            | Date      | LOAN_STAT    | DT              | The date on which the current Loan Status Code became effective.   |

| Field Code | Data Element                          | Positio | n   | Length | Associated<br>Event | Record<br>Type | Data Type | Entity             | Attribute        | Attribute  |
|------------|---------------------------------------|---------|-----|--------|---------------------|----------------|-----------|--------------------|------------------|--|
|            | Name                                  | Start   | End |        |                     |                |           | Table Name         | Column<br>Name   | Description  |
| 163        | New Date of Loan<br>Status            | 73      | 80  | 8      | Loan Status         | PPC            | Date      | LOAN_STAT          | DT               | The date on which the current Loan Status Code became effective.   |
| 164        | New Code for Loan<br>Status           | 81      | 82  | 2      | Loan Status         | PPC            | Character | LOAN_STAT          | CODE             | Code representing current status of a student's loan, as determined by the loan's current holder.  |
| 165        | Old Date Repayment<br>Plan Entered    | 83      | 90  | 8      | Repayment           | PPC            | Date      | LOAN_RPMT_P<br>LAN | DT_ENTR_<br>RPMT | Date (month, day, year) on<br>which the FDLP loan<br>entered a particular<br>repayment plan.   |
| 166        | New Date<br>Repayment Plan<br>Entered | 91      | 98  | 8      | Repayment           | PPC            | Date      | LOAN_RPMT_P<br>LAN | DT_ENTR_<br>RPMT | Date (month, day, year) on which the FDLP loan entered a particular repayment plan.  |
| 167        | New Repayment Plan<br>Type            | 99      | 100 | 2      | Repayment           | PPC            | Character | LOAN_RPMT_P<br>LAN |                  | Code indicating the type of repayment plan for an FDLP loan in repayment. Permitted values: FF-fixed payment, fixed term; FE-fixed payment, extended term; GR-graduated repayment; IC-income contingent; and SP-special plan/secretary's option. |
| 168        | New Repayment Plan<br>Term            | 101     | 103 | 2      | Repayment           | PPC            | Character | LOAN_RPMT_P<br>LAN | TERM_IN_<br>MO   | The length or term of the repayment plan for an FDLP.  |
| 169        | Old Date Deferment<br>Starts          | 104     | 111 | 8      | Deferment           | PPC            | Date      | LOAN_DFR           | START_DT         | The date on which a legal deferment actually begins.   |

| Field Code | Data Element                               | Positio | n   | Length | Associated<br>Event           | Record<br>Type | Data Type | Entity     | Attribute        | Attribute   |
|------------|--|---------|-----|--------|-------------------------------|----------------|-----------|------------|------------------|---|
|            | Name                                       | Start   | End |        |                               |                |           | Table Name | Column<br>Name   | Description   |
| 170        | New Type of<br>Deferment                   | 112     | 113 | 2      | Deferment                     | PPC            | Character | LOAN_DFR   | ТҮРЕ             | One of the legal reasons for repayment of loan principal and/or interest being deferred (e.g., CP-Peace Corps, EH-Economic Hardship). |
| 171        | New Date Deferment<br>Starts               | 114     | 121 | 8      | Deferment                     | PPC            | Date      | LOAN_DFR   | START_DT         | The date on which a legal deferment actually begins.  |
| 172        | New Date Deferment<br>Stops                | 122     | 129 | 8      | Deferment                     | PPC            | Date      | LOAN_DFR   | STOP_DT          | The date on which a legal deferment is projected to end.  |
| 173        | New Amount of<br>Principal Deferred        | 130     | 135 | 6      | Deferment                     | PPC            | Number    | LOAN       | OUT_PRIN_<br>BAL | The dollar value of the declining balance due (principal only) on a Perkins Loan or FFEL or FDSL Program.                             |
| 174        | New Amount of<br>Interest Deferred         | 136     | 141 | 6      | Deferment                     | PPC            | Number    | LOAN       | OUT_INT_B<br>AL  | The dollar value of the declining accrued interest balance.   |
| 186        | Old Date Enrollment<br>Status Effective    | 142     | 149 | 8      | Enrollment/Stu<br>dent Status | PPC            | Date      | STU_STAT   | EFF_DT           | Effective date (year, month, day) of a student's current enrollment status as reported from a data provider.                          |
| 187        | New Date<br>Enrollment Status<br>Effective | 150     | 157 | 8      | Enrollment/Stu<br>dent Status | PPC            | Date      | STU_STAT   | EFF_DT           | Effective date (year, month, day) of a student's current enrollment status as reported from a data provider.                          |

| Field Code | Data Element                              | Position | n   | Length | Associated<br>Event           | Record<br>Type | Data Type | Entity            | Attribute       | Attribute  |
|------------|---|----------|-----|--------|-------------------------------|----------------|-----------|-------------------|-----------------|--|
|            | Name                                      | Start    | End |        |                               |                |           | Table Name        | Column<br>Name  | Description  |
| 188        | New Code for<br>Enrollment Status         | 158      | 158 | 1      | Enrollment/Stu<br>dent Status | PPC            | Character | STU_STAT          | ENRL_COD<br>E   | ED code reflecting student's current enrollment status, as reported through the Student Status Confirmation Report (SSCR) or by the schools for Campus-Based aid recipients.                           |
| 194        | Old Date<br>Responsibility<br>Transferred | 159      | 166 | 8      | Loan Transfer                 | PPC            | Date      | LOAN_TRAN_L<br>OG | SYS_CLOS_<br>DT | Date on which the transfer log was closed because of either confirmation or reversal.  |
| 195        | New Date<br>Responsibility<br>Transferred | 167      | 174 | 8      | Loan Transfer                 | PPC            | Date      | LOAN_TRAN_L<br>OG | SYS_CLOS_<br>DT | Date on which the transfer log was closed because of either confirmation or reversal.  |
| 197        | Old Code for Current<br>School            | 175      | 182 | 8      | Enrollment/Stude<br>nt Status | PPC            | Number    | SCH               | CODE            | An eight-digit code, known as the OPE code, identifying the original school at which the student was enrolled or accepted for enrollment when the loan was made.  DB Field is ONLY SIX CHARACTERS LONG |

| Field Code | Data Element                   | Positio | 1   | Length | Associated<br>Event           | Record<br>Type | Data Type | Entity     | Attribute      | Attribute  |
|------------|--------------------------------|---------|-----|--------|-------------------------------|----------------|-----------|------------|----------------|--|
|            | Name                           | Start   | End |        |                               |                |           | Table Name | Column<br>Name | Description  |
| 198        | New Code for Current<br>School | 183     | 190 | 8      | Enrollment/Stude<br>nt Status | PPC            | Number    | SCH        | CODE           | An eight-digit code, known as the OPE code, identifying the original school at which the student was enrolled or accepted for enrollment when the loan was made.  DB Field is ONLY SIX CHARACTERS LONG |
| N/A        | Filler                         | 191     | 206 | 16     | N/A                           | PPC            |           |            |                |  |
| 213        | Old Date of<br>Disbursement    | 207     | 214 | 8      | Disbursement                  | PPC            | Date      | LOAN_DIS   | DT             | Date on which each disbursement was made.  |
| 214        | New Date of<br>Disbursement    | 215     | 222 | 8      | Disbursement                  | PPC            | Date      | LOAN_DIS   | DT             | Date on which each disbursement was made.  |
| N/A        | Filler                         | 223     | 429 | 207    | N/A                           | PPC            |           |            |                |  |
| 193        | Data Provider ID               | 430     | 450 | 21     | N/A                           | PPC            | Character |            |                |  |
| N/A        | Filler                         | 451     | 560 | 110    | N/A                           | PPC            |           |            |                |  |

| Event          |  |   | Change                |            |                  |       |      |   |   | Edit Level | Verifies  | Error                        | Field | Error | Error Message                        |
|----------------|--|---|-----------------------|------------|------------------|-------|------|---|---|------------|---|------------------------------|-------|-------|--------------------------------------|
| Name           | Description  | How to Change                                       | Field                 | Field Code | Position         | Bytes | Туре | Report  | Result  |            |   |                              | Code  | Code  | , i                                  |
| Current School | FDLP PPC Process no longer<br>supports this event. |   |                       |            |                  |       |      |   |   |            |   |                              |       |       |                                      |
| Deferment      | Changing the Date                                  | Determine the                                       | Date Deferment Starts | 169        | 104-111          | 8     | Date | Old Date Deferment Starts   | NSLDS changes Date Deferment                          | Domain     | Must be a valid amount.   | Invalid amount.              | 173   | 4725  | Non numeric                          |
|                | Deferment Starts, Date                             | history:  | (only)                |            | (Old)            | _     |      | (positions 104-111) as it is in NSLDS   | Starts stored in history to your                      |            |   |                              |       |       | value                                |
|                | Deferment Stops, Type of                           |   | 1 4                   |            |                  |       |      | history   | new date and leaves Type of                           |            |   |                              |       |       |                                      |
|                | Deferment, Amount of<br>Principal Deferred, and/or | Date Deferment Starts (on the date in               |                       | 171        | 114-121<br>(New) | 8     | Date | <ul> <li>New Date Deferment Starts</li> <li>(positions 114-121) when Type of</li> </ul> | Deferment, Stop Date, and<br>Amounts of Principal and |            | Must be a valid amount.   | Invalid amount.              | 174   | 4725  | Non numeric<br>value                 |
|                | Amount of Interest Deferred                        | history)  |                       |            | (INEW)           |       |      |   | Interest unchanged.                                   |            |   |                              |       |       | value                                |
|                | in NSLDS history, or                               | Date Deferment                                      | †                     |            |                  |       |      | · '00000000' in New Date  | _   |            | Must be a valid date.   | Invalid date.                | 169   | 4726  | Invalid Date                         |
|                | deleting an event.                                 | Stops (on the date in                               |                       |            |                  |       |      | Deferment Stops (positions 122-129) as  |   |            |   |                              |       |       |                                      |
|                |  | history)  Type of Deferment                         | 1                     |            |                  |       |      | default Type of Deferment (positions 112-   |   |            | Must be a valid date.   | Invalid date.                | 171   | 4726  | Invalid Date                         |
|                |  | (on the date in history)                            |                       |            |                  |       |      | 113) as blanks  |   |            | wust be a valid date.   | ilivalid date.               | 171   | 4720  | ilivalid Date                        |
|                |  | <ul> <li>Amount of Principal</li> </ul>             | Ī                     |            |                  |       |      | <ul> <li>New Amount of Principal</li> </ul>   |   |            | Must be a valid date.   | Invalid date.                | 172   | 4726  | Invalid Date                         |
|                |  | Deferred (on the date in                            |                       |            |                  |       |      | Deferred (positions 130-135) as blanks  |   |            |   |                              |       |       |                                      |
|                |  | history) - Amount of Interest                       | +                     |            |                  |       |      | New Amount of Interest Deferred   |   | Record     | If New Date Deferment Starts and  | New Date                     | 172   | 107   | New Date                             |
|                |  | Deferred (on the date in                            |                       |            |                  |       |      | (positions 136-141) as blanks   |   | reccord    | New Date Deferment Stops  | Deferment Stops is           | 172   | 107   | Deferment Stops                      |
|                |  | history)  |                       |            |                  |       |      |   |   |            | contain values other than zeros,  | on or before New             |       |       | must be > New                        |
|                |  |   |                       |            |                  |       |      |   |   |            | New Date Deferment Stops must<br>be after New Date Deferment            | Date Deferment<br>Starts.    |       |       | Date Deferment<br>Starts             |
|                |  |   |                       |            |                  |       |      |   |   |            | Starts.   | Statts.                      |       |       | Starts                               |
| 1              |  | To change an event,                                 | Date Deferment Stops  | 172        | 122-129          | 8     | Date | Old Date Deferment Starts   | NSLDS changes Date Deferment                          |            | Loan must exist in NSLDS.   | Loan not found.              | 156   | 254   | Loan not found                       |
|                |  | include Loan Identifiers                            | (only)                |            |                  |       |      |   | Stops stored in history to your                       |            |   |                              |       |       |                                      |
|                |  | and Old Date Deferment<br>Starts (key), and the New |                       |            |                  |       |      |   | new date and leaves Date<br>Deferment Starts, Type of |            |   |                              |       |       |                                      |
|                |  | Date Deferment Starts,                              |                       |            |                  |       |      |   | Deferment, and Amounts of                             |            |   |                              |       |       |                                      |
|                |  | New Date Deferment                                  |                       |            |                  |       |      |   | Principal and Interest                                |            |   |                              |       |       |                                      |
|                |  | Stops, Type of Deferment,<br>Amount of Principal    |                       |            |                  |       |      |   | unchanged.  |            |   |                              |       |       |                                      |
|                |  | Deferred, and/or Amount                             |                       |            |                  |       |      |   |   |            |   |                              |       |       |                                      |
|                |  | of Interest Deferred if                             |                       |            |                  |       |      |   |   |            |   |                              |       |       |                                      |
|                |  | changing any combination                            |                       |            |                  |       |      |   |   |            |   |                              |       |       |                                      |
|                |  | of those values.                                    |                       |            |                  |       |      |   |   |            |   |                              |       |       |                                      |
|                |  | To delete an event, include                         | <del> </del>          |            |                  |       |      | New Date Deferment Starts   |   |            | Student must exist in NSLDS.  | Student not found.           | 152   | 257   | Student not found                    |
|                |  | Loan Identifiers and Old                            |                       |            |                  |       |      | (positions 114-121) as default  |   |            |   |                              |       |       |                                      |
|                |  | Date Deferment Starts                               |                       |            |                  |       |      | New Date Deferment Stops  |   |            | NSLDS determines whether  | Conflicting                  | 152   | 408   | Student SSN                          |
|                |  | (key), and populate New<br>Date Deferment Starts,   |                       |            |                  |       |      | (positions 122-129)   |   |            | conflicting date exists with respect to SSN.                            | information exists.          |       |       | currently used by<br>another student |
|                |  | New Date Deferment                                  |                       |            |                  |       |      | Type of Deferment (positions 112-   |   |            | If New Date Deferment Starts or   | No corresponding             | 169   | 4001  | Field is required                    |
|                |  | Stops, Type of Deferment,                           |                       |            |                  |       |      | 113) as blanks  |   |            | New Date Deferment Stops field  | Old Date                     |       |       |                                      |
|                |  | Amount of Principal<br>Deferred, and Amount of      |                       |            |                  |       |      |   |   |            | contains a value other than zeroes                                      | Deferment Starts.            |       |       |                                      |
|                |  | Interest Deferred with                              |                       |            |                  |       |      |   |   |            | or Amount of Principal Deferred,<br>or Amount of Interest Deferred      |                              |       |       |                                      |
|                |  | default values.                                     |                       |            |                  |       |      |   |   |            | contains a value other than spaces,                                     |                              |       |       |                                      |
|                |  |   |                       |            |                  |       |      |   |   |            | there must be a corresponding   |                              |       |       |                                      |
|                |  |   |                       |            |                  |       |      |   |   |            | value in Old Date Deferment<br>Starts.                                  |                              |       |       |                                      |
|                |  |   |                       |            |                  |       |      | New Amount of Principal   |   |            | If New Date Deferment Starts or   | No corresponding             | 170   | 4001  | Field is required                    |
|                |  |   |                       |            |                  |       |      | Deferred (positions 130-135) as blanks  |   |            | New Date Deferment Stops field  | New Deferment                | 1.70  | 2001  | u is required                        |
|                |  |   |                       |            |                  |       |      |   |   |            | contains a value other than zeroes                                      | Type.                        |       |       |                                      |
|                |  |   |                       |            |                  |       |      |   |   |            | or Amount of Principal Deferred,<br>or Amount of Interest Deferred      |                              |       |       |                                      |
|                |  |   |                       |            |                  |       |      |   |   |            | or Amount of Interest Deferred<br>contains a value other than spaces,   |                              |       |       |                                      |
|                |  |   |                       |            |                  |       |      |   |   |            | there must be a corresponding   |                              |       |       |                                      |
|                |  |   |                       |            |                  |       |      |   |   |            | value in New Deferment Type.  |                              |       |       |                                      |
| 1              |  |   |                       |            |                  |       |      | New Amount of Interest Deferred   |   |            | If New Date Deferment Ctron. C. 11                                      | No comoc                     | 171   | 4001  | Field in we                          |
| 1              |  |   |                       |            |                  |       |      | New Amount of Interest Deferred<br>(positions 136-141) as blanks                        |   |            | If New Date Deferment Stops field<br>contains a value other than zeroes | No corresponding<br>New Date | 1/1   | 4001  | Field is required                    |
| 1              |  |   |                       |            |                  |       |      | 4   |   |            | or New Deferment Type, Amount   | Deferment Starts.            |       |       |                                      |
|                |  |   |                       |            |                  |       |      |   |   |            | of Principal Deferred, or Amount  |                              |       |       |                                      |
|                |  |   |                       |            |                  |       |      |   |   |            | of Interest Deferred contains a<br>value other than spaces, there       |                              |       |       |                                      |
| 1              |  |   |                       |            |                  |       |      |   |   |            | must be a corresponding value in  |                              |       |       |                                      |
| 1              |  |   |                       |            |                  |       |      |   |   |            | New Date Deferment Starts.  |                              |       |       |                                      |
| 1              |  |   |                       |            |                  |       |      |   |   |            |   |                              |       |       |                                      |
|                |  |   | ·                     |            |                  |       |      | ·   | ·   |            | ·   |                              |       |       |                                      |

| Event |             |               | Change  |            |                                      |       |           |  |   | Edit Level | Verifies  | Error  | Field | Error | Error Message                           |
|-------|-------------|---------------|---|------------|--------------------------------------|-------|-----------|--|---|------------|---|--|-------|-------|---|
| Name  | Description | How to Change | Field   | Field Code | Position                             | Bytes | Type      | Report   | Result  |            |   |  | Code  | Code  |   |
|       |             |               | New Type of Deferment<br>(only)               | 170        | 112-113                              | 2     | Character | Old Date Deferment Starts<br>(positions 104-111) as it is in NSLDS<br>history  | NSLDS changes Type of<br>Deferment and leaves Dates and<br>Amounts of Deferment<br>unchanged.   |            | If New Date Deferment Starts field contains a value other than zeroe or New Deferment Type, Amount of Principal Deferred, or Amount of Interest Deferred contains a value other than spaces, there must be a corresponding value in New Date Deferment Stops. | New Date   | 172   | 4001  | Field is required                       |
|       |             |               |   |            |                                      |       |           | Type of Deferment (positions 112-<br>113)  |   | Load       | Date change falls in acceptable range in relation to historical data.   | Date sequence<br>error.  | 172   | 525   | Date sequence<br>error                  |
|       |             |               |   |            |                                      |       |           | · '00000000' in New Date<br>Deferment Stops (positions 122-129)  |   |            | Must be a valid Deferment Type from the Deferment Type Codes Table.   | Invalid Deferment<br>Type.   | 170   | 4002  | Invalid Code                            |
|       |             |               |   |            |                                      |       |           | New Amount of Principal<br>Deferred (positions 130-135) as blanks  |   |            | If New Date Deferment Starts contains a value other than all zeroes, it must not be on or before the Date Deferment Starts for the prior event stored in NSLDS, nor on or after the Date Deferment Starts for the subsequent event stored in NSLDS.           | New Date<br>Deferment Starts is<br>on or before the<br>Date Deferment<br>Starts for a prior<br>event or on or<br>after the Date<br>Deferment Starts<br>for the subsequent<br>event stored in<br>NSLDS. | 169   | 4750  | Event Sequence<br>Error                 |
|       |             |               |   |            |                                      |       |           | New Amount of Interest Deferred<br>(positions 136-141) as blanks   |   |            | You cannot update or delete a<br>current value or event.  | Updating or<br>deleting a current<br>event.  | 169   | 4751  | PPC<br>Correction/Delete<br>not allowed |
|       |             |               | New Amount of<br>Principal Deferred<br>(only) | 173        | 130-135                              | 6     | Numeric   | history  | NSLDS changes Amount of<br>Principal Deferred and leaves<br>Type of Deferment, Dates of<br>Deferment, and Amount of<br>Interest Deferred unchanged. |            | If Old Date Deferment Starts<br>contains a value other than all<br>zeroes, it must match the value<br>stored in NSLDS.  | Old Date<br>Deferment Starts<br>does not match<br>value stored in<br>NSLDS.  | 169   | 4752  | Value must match<br>existing value      |
|       |             |               |   |            |                                      |       |           | New Amount of Principal Deferred (positions 130-135)   |   |            | Old Date Deferment Starts must exist in history.  | Old Date<br>Deferment Starts<br>does not exist.  | 169   | 4753  | Old value does<br>not exist             |
|       |             |               |   |            |                                      |       |           | "00000000" in New Date<br>Deferment Stops (positions 122-129)<br>Type of Deferment (positions 112-<br>113) as blanks<br>New Amount of Interest Deferred<br>(positions 136-141) as blanks |   |            | You cannot change a date in history to equal another date in history.   | New Date<br>Deferment Starts<br>already exists.  | 171   | 4754  | New value<br>already exists             |
|       |             |               | New Amount of Interest<br>Deferred (only)     | 174        | 136-141                              | 6     | Numeric   | history New Amount of Interest Deferred  | NSLDS changes Amount of<br>Interest Deferred and leaves<br>Type of Deferment, Dates of<br>Deferment, and Amount of<br>Principal Deferred unchanged. |            |   |  |       |       |   |
|       |             |               | Date Deferment Starts                         | 169<br>171 | 104-111<br>(Old)<br>114-121<br>(New) | 8     | Date Date | Old Date Deferment Starts<br>(positions 104-111) as it is in NSLDS<br>history  New Date Deferment Starts<br>(positions 114-121)  | NSLDS changes Date Deferment<br>Starts, Date Deferment Stops,<br>Type of Deferment, and<br>Amounts of Principal and<br>Interest Deferred.           |            |   |  |       |       |   |
|       |             |               | and/or  |            |                                      |       |           | New Date Deferment Stops<br>(positions 122-129)     Type of Deferment (positions 112-<br>113)  |   |            |   |  |       |       |   |
|       |             |               | Date Deferment Stops                          | 172        | 122-129                              | 8     | Date      | . Amount of Principal Deferred<br>(positions 130-135)<br>Amount of Interest Deferred (positions  |   |            |   |  |       |       |   |
|       |             |               | and/or  |            |                                      |       |           | 136-141)   |   |            |   |  |       |       |   |

| Event         |                              |   | Change                  |            |          |       |           |   |                                  | Edit Level | Verifies                              | Error              | Field | Error    | Error Message     |
|---------------|------------------------------|---|-------------------------|------------|----------|-------|-----------|---|----------------------------------|------------|---------------------------------------|--------------------|-------|----------|-------------------|
| Name          | Description                  | How to Change                           | Field                   | Field Code | Position | Bytes | Туре      | Report  | Result                           |            |                                       |                    | Code  | Code     |                   |
|               |                              |   | Type of Deferment       | 170        | 112-113  | 2     | Character |   |                                  |            |                                       |                    |       |          |                   |
|               |                              |   | -JF                     |            |          |       |           |   |                                  |            |                                       |                    |       |          |                   |
|               |                              |   | and/or                  |            |          |       |           |   |                                  |            |                                       |                    |       |          |                   |
|               |                              |   |                         |            |          |       |           |   |                                  |            |                                       |                    |       |          |                   |
|               |                              |   | Amount of Principal     | 173        | 130-135  | 6     | Numeric   |   |                                  |            |                                       |                    |       |          |                   |
|               |                              |   | Deferred                | 110        | 100 100  |       | rumerie   |   |                                  |            |                                       |                    |       |          |                   |
|               |                              |   | and/or                  |            |          |       |           |   |                                  |            |                                       |                    |       |          |                   |
|               |                              |   |                         |            |          |       |           |   |                                  |            |                                       |                    |       |          |                   |
|               |                              |   | Amount of Interest      | 174        | 136-141  | 6     | Numeric   | 1   |                                  |            |                                       |                    |       |          |                   |
|               |                              |   | Deferred                |            |          | -     |           |   |                                  |            |                                       |                    |       |          |                   |
| Disbursement  | Changing the Date of         | Determine the                           | Date of Disbursement    | 213        | 207-214  | 8     | Date      | Old Date of Disbursement                        | NSLDS changes Date of            | Record     | Loan must exist in NSLDS.             | Loan not found.    | 156   | 254      | Loan not found    |
|               | Disbursement when the        | history:                                |                         | -          | (Old)    |       |           | (positions 207-214) as it is in NSLDS           | Disbursement.                    |            |                                       |                    |       |          |                   |
|               | latest loan disbursement was |   |                         |            | ,        |       |           | history   |                                  |            |                                       |                    |       |          |                   |
|               | made, or deleting an event.  | · Old Date of                           | †                       | 214        | 215-222  | 8     | Date      | New Date of Disbursement (positions             |                                  |            | Student must exist in NSLDS.          | Student not found. | 152   | 257      | Student not found |
|               |                              | Disbursement (in history)               |                         |            | (New)    | -     |           | 215-222) as it should be                        |                                  |            |                                       |                    |       |          |                   |
|               |                              | 2. To change an event,                  | 1                       |            | ( )      |       |           |   |                                  |            | NSLDS determines whether              | Conflicting        | 152   | 408      | Student SSN       |
|               |                              | include Loan Identifiers                |                         |            |          |       |           |   |                                  |            | conflicting date exists with respect  |                    |       |          | currently used by |
|               |                              | and Old Date of                         |                         |            |          |       |           |   |                                  |            | to SSN.                               |                    |       |          | another student   |
|               |                              | Disbursement (key), and                 |                         |            |          |       |           |   |                                  |            |                                       |                    |       |          |                   |
|               |                              | New Date of                             |                         |            |          |       |           |   |                                  |            |                                       |                    |       |          |                   |
|               |                              | Disbursement.                           |                         |            |          |       |           |   |                                  |            |                                       |                    |       |          |                   |
|               |                              | To delete an event, include             | †                       |            |          |       |           |   |                                  |            | If New Date of Disbursement field     | No corresponding   | 213   | 4001     | Field is required |
|               |                              | Loan Identifiers and Old                |                         |            |          |       |           |   |                                  |            | contains a value other than all       | value in Old Date  |       |          |                   |
|               |                              | Date of Disbursement                    |                         |            |          |       |           |   |                                  |            | zeros, there must be a                | of Disbursement.   |       |          |                   |
|               |                              | (key), and populate New                 |                         |            |          |       |           |   |                                  |            | corresponding value in Old Date       |                    |       |          |                   |
|               |                              | Date of Disbursement field              |                         |            |          |       |           |   |                                  |            | of Disbursement.                      |                    |       |          |                   |
|               |                              | with default value.                     |                         |            |          |       |           |   |                                  |            |                                       |                    |       |          |                   |
|               |                              |   |                         |            |          |       |           |   |                                  | Load       | Date change falls in acceptable       | Date sequence      | 214   | 525      | Date sequence     |
|               |                              |   |                         |            |          |       |           |   |                                  | Load       | range in relation to historical data. | error.             | 211   | 323      | error             |
|               |                              |   |                         |            |          |       |           |   |                                  |            |                                       |                    |       |          |                   |
|               |                              |   |                         |            |          |       |           |   |                                  |            | If New Date of Disbursement           | New Date of        | 214   | 4750     | Event sequence    |
|               |                              |   |                         |            |          |       |           |   |                                  |            | contains a value other than all       | Disbursement is    |       |          | error             |
|               |                              |   |                         |            |          |       |           |   |                                  |            | zeroes, it must not be on or before   | on or before the   |       |          |                   |
|               |                              |   |                         |            |          |       |           |   |                                  |            | the Date of Disbursement for the      | Date of            |       |          |                   |
|               |                              |   |                         |            |          |       |           |   |                                  |            | prior event stored in NSLDS, nor      | Disbursement for a |       |          |                   |
|               |                              |   |                         |            |          |       |           |   |                                  |            | on or after the Date of               | prior event.       |       |          |                   |
|               |                              |   |                         |            |          |       |           |   |                                  |            | Disbursement for the subsequent       | Î                  |       |          |                   |
|               |                              |   |                         |            |          |       |           |   |                                  |            | event stored in NSLDS.                |                    |       |          |                   |
|               |                              |   |                         |            |          |       |           |   |                                  |            |                                       |                    |       |          |                   |
|               |                              |   |                         |            |          |       |           |   |                                  |            | You cannot update or delete a         | Updating or        | 213   | 4751     | PPC               |
|               |                              |   |                         |            |          |       |           |   |                                  |            | current value or event.               | deleting a current |       |          | Correction/Delete |
|               |                              |   |                         |            |          |       |           |   |                                  |            |                                       | event.             |       |          | not allowed       |
|               |                              |   |                         |            |          |       |           |   |                                  |            | If Old Date of Disbursement           | Old Date of        | 213   | 4752     | Value must match  |
|               |                              |   |                         |            |          |       |           |   |                                  |            | contains a value other than all       | Disbursement       |       |          | existing value    |
|               |                              |   |                         |            |          |       |           |   |                                  |            | zeroes, it must match the value       | does not match     |       |          |                   |
| 1             |                              |   |                         |            |          |       |           |   |                                  |            | stored in NSLDS.                      | value stored in    | l     |          |                   |
|               |                              |   |                         |            |          |       |           |   |                                  |            |                                       | NSLDS.             |       |          |                   |
|               |                              |   |                         |            |          |       |           |   |                                  |            | You cannot change a date in           | New Date of        | 214   | 4754     | New value         |
|               |                              |   |                         | 1          |          |       |           |   |                                  |            | history to equal another date in      | Disbursement       | l     |          | already exists    |
|               |                              |   |                         |            |          |       |           |   |                                  |            | NSLDS.                                | already exists.    | l     |          |                   |
| Enrollment/St | Changing the prior Code for  |   | Code for Current School | 197        | 175-182  | 8     | Numeric   | <ul> <li>Old Code for Current School</li> </ul> | NSLDS changes Code for           | Domain     | Must be numeric.                      | Not numeric.       | 188   | 4725     | Non numeric       |
| udent Status  | Current School, Code for     | history:                                | (only)                  |            | (Old)    |       |           | (positions 175-182) as it is in NSLDS           | Current School and leaves Date   |            |                                       |                    |       |          | value             |
| 1             | Enrollment Status, and/or    |   | 1                       | L          | <u> </u> |       | <u> </u>  | history   | Enrollment Status Effective      |            |                                       | <u> </u>           | L     | <u> </u> | <u> </u>          |
|               | the Date Enrollment Status   | <ul> <li>Date Enrollment</li> </ul>     | Ī                       | 198        | 183-190  | 8     | Numeric   | · Old Date Enrollment Status                    | unchanged.                       |            | Must be numeric.                      | Not numeric.       | 197   | 4725     | Non numeric       |
|               | Effective or deleting an     | Status Effective (in history)           |                         | 1          | (New)    |       |           | Effective (positions 142-149) as it is in       |                                  |            |                                       |                    | l     |          | value             |
|               | event.                       |   | 1                       |            |          |       |           | NSLDS history                                   |                                  |            |                                       |                    |       |          | <u> </u>          |
|               |                              | <ul> <li>Code for Enrollment</li> </ul> | Ī                       |            |          |       |           | New Code for Current School (positions          |                                  |            | Must be numeric.                      | Not numeric.       | 198   | 4725     | Non numeric       |
|               |                              | Status (on the date in                  |                         | I          |          |       | 1         | 183-190) when Old Date Enrollment               |                                  |            |                                       |                    | 1     |          | value             |
|               |                              | history)                                |                         |            |          |       |           | Status was effective                            |                                  |            |                                       |                    | l     |          |                   |
|               |                              | <ul> <li>Code for Current</li> </ul>    | Code for Enrollment     | 188        | 158      | 1     | Character | <ul> <li>Old Code for Current School</li> </ul> | NSLDS changes Code for           | 1          | Must be a valid date.                 | Invalid date.      | 186   | 4726     | Invalid Date      |
|               |                              | School (on the date in                  | Status (only)           |            |          |       |           | (positions 175-182) as it is in NSLDS           | Enrollment Status and leaves     |            |                                       |                    | l     |          |                   |
|               |                              | history)                                |                         | I          |          |       | 1         | history   | Date Enrollment Status Effective |            |                                       |                    | 1     |          |                   |
| •             |                              |   | _                       | •          | •        |       | •         |   | •                                | •          |                                       |                    |       |          | •                 |

| Martin   M   | Event |             |                            | Change                  |            |          |       |         |                                  |                    | Edit Level | Verifies                              | Error               | Field | Error | Error Message     |
|--|-------|-------------|----------------------------|-------------------------|------------|----------|-------|---------|----------------------------------|--------------------|------------|---------------------------------------|---------------------|-------|-------|-------------------|
| Cold Date of Control Storal Control    | Name  | Description | How to Change              | Field                   | Field Code | Position | Bytes | Туре    | Report                           | Result             |            |                                       |                     | Code  | Code  |                   |
| Security States   Part   Par   |       |             |                            |                         |            |          | J     | J       |                                  |                    |            | Must be a valid date.                 | Invalid date.       | 187   | 4726  | Invalid Date      |
| Code for Carword Statutal   Code for Carword Statutal   Code for Employee Statut   Code for Employee   |       |             |                            |                         |            |          |       |         |                                  |                    |            |                                       |                     |       | 1     |                   |
| Accordance   Contract   Contrac   |       |             |                            |                         |            |          |       |         |                                  |                    |            |                                       |                     |       |       |                   |
| Transformer States (are)   State of the first of the fi   |       |             |                            |                         |            |          |       |         |                                  |                    |            |                                       |                     |       |       |                   |
| New Code for Employment Status   Proceed for Employment Stat   |       |             |                            |                         |            |          |       |         |                                  |                    |            |                                       |                     |       |       |                   |
| Findbase are not problem State and Code for Control State In Manufacture |       |             |                            |                         |            |          |       |         |                                  |                    |            |                                       |                     |       |       |                   |
| The district on courts furtised Courted School (e.g.), and Courted School   |       |             |                            |                         |            |          |       |         |                                  |                    |            |                                       |                     |       |       |                   |
| Section of the convent include   Conditional Color for Color for Conditional Color for Color f   |       |             |                            |                         |            |          |       |         |                                  |                    |            |                                       |                     |       |       |                   |
| To, Richin an event include   Lance Interest Record (asy), and clear to the count of the count   |       |             |                            |                         |            |          |       |         |                                  |                    |            |                                       |                     |       |       |                   |
| Loan identifiers, Code for Current Stock (e.g., sale should be compared to the Current Stock (e.g., sale should be compa   |       |             | botti.                     |                         |            |          |       |         |                                  |                    |            |                                       |                     |       |       |                   |
| Loan identifiers, Code for Current Stock (e.g., sale should be compared to the Current Stock (e.g., sale should be compa   |       |             | To delete an event include | †                       |            |          |       |         | . New Code for Enrollment Status |                    | Record     | Loan must evist in NSLDS              | Loan not found      | 156   | 254   | Loan not found    |
| Courtest School and Light stage of Exemination (1997)   Courtest States   Description (1998)   Courtest States     |       |             |                            |                         |            |          |       |         |                                  |                    | rectord    | Loan must exist in NoLDs.             | Loan not round.     | 130   | 201   | Loan not round    |
| South Deep Area Deputies   South Order, and popular   South Order, and po   |       |             |                            |                         |            |          |       |         |                                  |                    |            | Student must exist in NSLDS           | Student not found   | 159   | 957   | Student not found |
| Status florly, and popularies Nove The of Providences When the office of |       |             |                            |                         |            |          |       |         |                                  |                    |            | Student must exist in NSLDS.          | Student not round.  | 132   | 231   | Student not round |
| Second control (Code   Control Miller)   Code   Control Miller (Code   Control Miller)   Code   Control Miller (Code   Code   Control Miller)   Code   Code   Control Miller (Code   Code   Control Miller)   Code   Code   Code   Control Miller)   Code      |       |             |                            | D . P . II C            | 100        | 140 140  | 0     | D-4-    |                                  | NCI DC -l D-4-     |            | NCLDC determines and other            | C (1:-+1            | 150   | 400   | Ct., J.,t CCNI    |
| Status and Code for Effective positions (12-18) at 10 Date      Second Code for Current School on Curr |       |             |                            |                         | 186        |          | 8     | Date    |                                  |                    |            |                                       |                     | 152   | 408   |                   |
| Examinance Status Fields with default values   Early   Spit 51-7   Spit 51-7   Spit 152   Spit 15   |       |             |                            | Effective (only)        |            | (Old)    |       |         |                                  |                    |            |                                       | information exists. |       |       |                   |
| New Park Professional States   Professiona   |       |             |                            |                         |            |          |       |         |                                  |                    |            |                                       |                     |       |       |                   |
| Note Date Payediment Status and State Payediment Status and State Payediment States and Payedi |       |             |                            |                         | 187        |          | 8     | Date    |                                  |                    |            |                                       |                     | 187   | 527   |                   |
| New Date Enrollment Status   First Household (1982)   First Household (1984)   First Household   |       |             | with default values.       |                         |            | (New)    |       |         |                                  | unchanged.         |            | modify a real value.                  |                     |       |       |                   |
| New Date Enrollment Status   |       |             |                            |                         |            |          |       |         | NSLDS history                    |                    |            |                                       | value.              |       |       |                   |
| Part   Code for Current School   Properties   Propertie   |       |             |                            |                         |            |          |       |         |                                  |                    |            |                                       |                     |       |       | value             |
| Part   Code for Current School   Properties   Propertie   |       |             |                            |                         |            |          |       |         | New Date Enrollment Status       |                    |            | You cannot use a plug code to         | Used a plug code    | 198   | 527   | Default value for |
| Part   Code for Current School   197   175-182   8   Numeric   Code for Current School   197   175-182   8   Numeric   Code for Current School   198   188   |       |             |                            |                         |            |          |       |         |                                  |                    |            |                                       |                     |       |       |                   |
| New Code for Current School positions 181-100 a blank Nove Code for Current School positions 181-100 a blank Nove Code for Fundinent Status (Old Date Enrollment Status positions 181-100 a blank New Code for Current School positions 191-100 a blank Nove Code for Current School Nove Cod |       |             |                            |                         |            |          |       |         |                                  |                    |            |                                       |                     |       |       |                   |
| New Code for Current School (positions 18-10) as blank   Positions 18-10 (positions 18-10-18) as it is in NSLDs   Status   Effective contains a value order than all a research tha   |       |             |                            |                         |            |          |       |         |                                  |                    |            |                                       |                     |       |       |                   |
| Code for Current School   197   175 182   8   Numeric   Code for Enditinent Status position   188 is blank   New   Code for Enditinent Status   Part School   197   175 182   8   Numeric   Code for Enditinent Status   Part School   198   185 190   8   Numeric   Code for Enditinent Status   Effective (positions 142-169) as it is in NSLIDS (https://process.com/part School)   198   185 190   8   Numeric   Code for Enditinent Status   Effective (positions 142-169) as it is in NSLIDS (https://process.com/parts)   198 190   185 190   1   |       |             |                            |                         |            |          |       |         | Novy Code for Current School     |                    |            | If Old Code for Current School or     | No compensating     | 100   | 4001  |                   |
| New Code for Euroliment Status   Effective contains a value other than all zeroes, there must be a Euroliment Status   Effective contains a value other than all zeroes, there must be a Enrollment Status   Effective contains a value other than all zeroes, there must be a Enrollment Status   Effective contains a value other than all zeroes, there must be a Enrollment Status   Effective contains a value other than all zeroes, there must be a Enrollment Status   Effective contains a value of the Status Effective, and Code for Enrollment Status   Effective contains a value of the Status Effective, and Code for Enrollment Status   Effective contains a value of the Status Effective contains a value of the Status Effective contains a value of the Status Effective contains a value of the Status   Effective contains a value of the Status   Effective contains a value of the Status   Effective contains a value of the Status   Effective contains a value of the Status   Effective contains a value of the Status   Effective contains a value of the Status   Effective contains a value of the Status   Effective contains a value of the Status   Effective contains a value of the Status   Effective contains a value of the Status   Effective contains a value of the Status   Effective contains a value of the Status   Effective contains value   Effective for the   Ef   |       |             |                            |                         |            |          |       |         |                                  |                    |            |                                       |                     | 180   | 4001  | rieid is required |
| Code for Current School   97   175   182   Numeric   Old Code for Current School (Old)   Sentence   Old Code for Current School (positions 175   182) as it is in NSLD Status Effective, and Code for Euroliment Status.   Effective (contains a value other must be a corresponding value in Old Code for Euroliment Status.   Effective (contains a value other must be a corresponding value in Old Code for Euroliment Status.   Effective (contains a value other must be a corresponding value in Old Code for Current School (contains value other must be a corresponding value in Old Code for Current School (contains value other must be a corresponding value in Old Code for Current School (contains value other must be a corresponding value in New Code for Current School (contains value other must be a corresponding value in New Code for Current School (contains value other must be a corresponding value in New Code for Current School (contains value other must be a corresponding value in New Code for Current School (contains value other must be a corresponding value in New Code for Current School (contains value other must be a corresponding value in New Code for Current School (contains value other must be a corresponding value in New Code for Current School (contains value other corresponding value in New Code for Current School (contains value other corresponding value in New Code for Current School (contains value other corresponding value in New Code for Current School (contains value other corresponding value in New Code for Current School (contains value other corresponding value in New Code for Current School (contains value other value of Code Current School (contains  |       |             |                            |                         |            |          |       |         |                                  |                    |            |                                       |                     |       |       |                   |
| Code for Current School   197   175-182   8   Numeric   Old Code for Current School   Date Enrollment Status   Effective constaints a value other than all zeroes, there must be a corresponding (197   4001   Field is required flower)   |       |             |                            |                         |            |          |       |         |                                  |                    |            |                                       |                     |       |       |                   |
| Cold   Continues 175-182) as it is in NSLDS history   Clement Status.   Effective contains a value the flam all zeroes there must be a characteristic through the status.   Cold Code for Current School.   Clement Status.   Cold Code for Current School.   Clement Status.   Clement    |       |             |                            |                         |            |          |       |         |                                  |                    |            |                                       |                     |       |       |                   |
| 198   185-190   8  |       |             |                            | Code for Current School | 197        |          | 8     | Numeric |                                  |                    |            |                                       |                     | 197   | 4001  | Field is required |
| Emollment Status.    Second    |       |             |                            |                         |            | (Old)    |       |         |                                  |                    |            |                                       |                     |       |       |                   |
| 188   188-190   189   188-190   189   188-190   189    |       |             |                            |                         |            |          |       |         |                                  |                    |            |                                       | Current School.     |       |       |                   |
| Section   Sect   |       |             |                            |                         |            |          |       |         |                                  | Enrollment Status. |            | corresponding value in Old Code       |                     |       |       |                   |
| and    New Code for Current School   Positions 142-149   Status  |       |             |                            |                         |            |          |       |         |                                  |                    |            | for Current School.                   |                     |       |       |                   |
| and    New Code for Current School   Positions 142-149   Status  |       |             |                            |                         | 198        | 183-190  | 8     | Numeric | · Old Date Enrollment Status     |                    |            | If New Date Enrollment Status         | No corresponding    | 198   | 4001  | Field is required |
| NSLDS history    NSLDS history   |       |             |                            |                         |            |          | _     |         |                                  |                    |            |                                       |                     |       |       |                   |
| and    New Code for Current School (positions 181-190)   |       |             |                            |                         |            | (11011)  |       |         |                                  |                    |            |                                       |                     |       |       |                   |
| New Code for Current School New Leproliment Status Effective (positions 183-190)  Date Enrollment Status Effective  Date Enrollment Status Effective  (Old)  New Date Enrollment Status Effective  Date Enrollment Status Effective  Date Enrollment Status Effective  (Old)  New Code for Eurollment Status Effective  Date Enrollment Status Effective  (Old)  New Code for Enrollment Status Effective  (Old)  New Code for Enrollment Status Effective  (Old)  New Code for Enrollment Status (position 188) as it should be  Date Lange falls in acceptable range in relation to hear of before Enrollment Status Effective must not be no referred in NSLDS or no referred Enrollment Status Effective for the prior event store on or or after Date Enrollment Status Effective for the prior event store on or or after Date Enrollment Status Effective for the prior event store on or or after Date Enrollment Status Effective for the prior event store on or or after Date Enrollment Status Effective for the prior event store on or or after Date Enrollment Status Effective for the prior event store on or after Date Enrollment Status Effective for the pulsequent event to on or after Date Enrollment Status Effective for the subsequent event to on or after Date Enrollment Status Effective for the subsequent event to on or after Date Enrollment Status Effective for the subsequent event to on or after Date Enrollment Status Effective for the subsequent event to the or the subsequent event to the subsequent event to the or the subsequent event to the or the subsequent event to the subsequence |       |             |                            |                         |            |          |       |         | NOLDS instory                    |                    |            |                                       | Current Benoon.     |       |       |                   |
| New Code for Current School (positions 183-190)  |       |             |                            |                         |            |          |       |         |                                  |                    |            |                                       |                     |       |       |                   |
| Positions 183-190  New Date Enrollment Status  |       |             |                            |                         |            |          |       |         |                                  |                    |            |                                       |                     |       |       |                   |
| New Date Enrollment Status Effective (positions 150-157) when new Code for Enrollment Status and New Code for Euronethent Status (position 158) as it should be  |       |             |                            | and                     |            |          |       |         |                                  |                    |            | Must be a valid code.                 | Invalid Code.       | 188   | 4002  | Invalid Code      |
| Date Enrollment Status   186   142-149   8   Date   New Code for Enrollment Status   (Old)   187   150-157   (New)   2   Date   198   255   Date sequence error.   198   255   Date sequence error   198   255   Date sequence error   198   255   Date sequence error   198   255   Date sequence   256   Date s   |       |             |                            |                         |            |          |       |         |                                  |                    |            |                                       |                     |       |       |                   |
| Date Enrollment Status    Date Enrollment Status   186   |       |             |                            |                         |            |          |       |         |                                  |                    |            |                                       | Invalid Code.       | 197   | 4002  | Invalid Code      |
| Date Enrollment Status   186   142-149   8   Date   New Code for Enrollment Status (position 158) as it should be   New Date   Load   Date change falls in acceptable range in relation to historical data.   Part Status Effective must not be on or before Date Enrollment Status Effective for the prior event stored in NSLDS or on or after Date Enrollment Status Effective for the subsequent event stored in NSLDS.   Significantly a subsequent event or on or after Date Enrollment Status Effective for the subsequent event or on or after Date Enrollment Status Effective for the subsequent event or on or after Date Enrollment Status Effective for the subsequent event or on or after Date Enrollment Status Effective for the subsequent event or on or after Date Enrollment Status Effective for the subsequent event or on or after Date Enrollment Status Effective for the subsequent event or on or after Date Enrollment Status Effective for the subsequent event or on or after Date Enrollment Status Effective for the subsequent event or on or after Date Enrollment Status Effective for the subsequent event or on or after Date Enrollment Status Effective for the subsequent event or on or after Date Enrollment Status Effective for the subsequent event or on or after Date Enrollment Status Effective for the subsequent event or on or after Date Enrollment Status Effective for the subsequent event or on or after Date Enrollment Status Effective for the subsequent event or on or after Date Enrollment Status Effective for the subsequent event or on or after Date Enrollment Status Effective for the subsequent event or on or after Date Enrollment Status Effective for the subsequent event or on or after Date Enrollment Status Effective for the subsequent event or on or after Date Enrollment Status Effective for the subsequent event or on or after Date Enrollment Status Effective for the subsequence enrollment Status Effective for the subsequence enrollment Status Effective for the subsequence enrollment Status Effective for the subsequenc   |       |             |                            |                         |            |          |       |         |                                  |                    |            | be a valid code.                      |                     |       |       |                   |
| Date Enrollment Status [186] 142-149 8 (Old)   New Code for Enrollment Status (position 158) as it should be   Date   New Code for Enrollment Status (position 158) as it should be   Date   Current School Codes table.   Date sequence   198   4002   Invalid Code   Current School Codes table.   Date sequence   198   525   Date   Sequence   198   525   Date   Sequence   198   Seque |       |             |                            |                         |            |          |       |         |                                  |                    |            |                                       |                     |       |       |                   |
| Date Enrollment Status Effective    186  |       |             |                            | ĺ                       |            |          |       |         | Code for Current School became   |                    |            |                                       |                     |       |       |                   |
| Effective  (Old)  (position 158) as it should be  (Current School Codes table.  Load Date change falls in acceptable range in relation to historical data. Provided in the subsequence of the subsequence o |       |             |                            | ĺ                       |            |          |       |         | effective                        |                    |            |                                       |                     |       |       |                   |
| Effective  (Old)  (position 158) as it should be  (Current School Codes table.  Load Date change falls in acceptable range in relation to historical data. Provided in the subsequence of the subsequence o |       |             |                            | Data Enrollment Status  | 186        | 142-149  | 8     | Date    | New Code for Enrollment Status   |                    |            | Must be a valid code from the         | Invalid Code        | 198   | 4002  | Invalid Code      |
| and    Total Coad   Date change falls in acceptable range in relation to historical data.  |       |             |                            |                         | 1          |          | -     |         |                                  |                    |            |                                       |                     | 1 ~   | 1     |                   |
| (New)  and  New Date Enrollment Status Effective must not be on or before Date Enrollment Status Effective for the prior event stored in NSLDS or on or after Date Enrollment Status Effective for the subsequent event stored in NSLDS.  (New) Date Enrollment Status Effective is on or before bate or before bate in NSLDS or on or after Date Enrollment Status Effective for the subsequent event stored in NSLDS.  (New) Date Enrollment Status Effective is on or before bate or before bate in NSLDS or on or after Date Enrollment Status Effective for the prior event or on or or after Date Enrollment Status Effective for the prior event or on or after Date Enrollment Status Effective for the prior event to revent Effective for the subsequent event status Effective for the Subsequent event   |       |             |                            |                         | 187        |          | 8     | Date    | 1                                |                    | Load       |                                       | Data saguance       | 198   | 525   | Date seguence     |
| And  New Date Enrollment Status  Effective must not be on or before Date Enrollment Status Effective is on or before Date Enrollment Status Effective is on or before Date Enrollment Status Effective for the prior event stored in NSLDS or on or after Date Enrollment Status  Enrollment Status  Effective is on or before Date Enrollment Status  Effective for the subsequent event stored in NSLDS.  Or after Date Enrollment Status  Effective for the subsequent status  Effective for the prior event or on or after Date Enrollment Status  Effective for the subsequent event stored in NSLDS.   |       |             |                            | ĺ                       | 107        |          | 0     | Date    | 1                                |                    | Loau       |                                       |                     | 130   | 323   |                   |
| Effective must not be on or before Date Enrollment Status Effective For the prior event stored in NSLDS or on or after Date Enrollment Status Effective for the subsequent event stored in NSLDS.  Effective must not be on or before Date Effective for the subsequent event stored in prior event or on or after Date Enrollment Status Effective for the subsequent event stored in prior event or on or after Date Enrollment Status Effective for the subsequent event stored in prior event or on or after Date Enrollment Status Effective for the Subsequent event stored in prior event or on or after Date Enrollment Status Effective for the Subsequent event stored in prior event or on or after Date Enrollment Status Effective for the Subsequent event stored in prior event stored in prior event or on or after Date Enrollment Status Effective for the Subsequent event stored in prior ev |       |             |                            | 1                       | 1          | (INCM)   |       |         | 1                                |                    |            | range in relation to historical data. | C1101.              |       | 1     | C1101             |
| Effective must not be on or before Date Enrollment Status Effective For the prior event stored in NSLDS or on or after Date Enrollment Status Effective for the subsequent event stored in NSLDS.  Effective must not be on or before Date Effective for the subsequent event stored in prior event or on or after Date Enrollment Status Effective for the subsequent event stored in prior event or on or after Date Enrollment Status Effective for the subsequent event stored in prior event or on or after Date Enrollment Status Effective for the Subsequent event stored in prior event or on or after Date Enrollment Status Effective for the Subsequent event stored in prior event or on or after Date Enrollment Status Effective for the Subsequent event stored in prior event stored in prior event or on or after Date Enrollment Status Effective for the Subsequent event stored in prior ev |       |             |                            | L.                      | 1          |          |       |         | 1                                |                    |            | N. D. F. H. (C)                       | N D                 | 107   | 1770  | D C               |
| Date Enrollment Status Effective is on or before before very stored in NSLDS or on or after Date Enrollment Status Effective for the subsequent event stored in NSLDS.  Biggin 2   |       |             |                            | and                     |            |          |       |         | 1                                |                    |            |                                       |                     | 187   | 4750  |                   |
| for the prior event stored in NSLDS or on or after Date Enrollment Status Effective for the subsequent event stored in NSLDS.  NSLDS.  for the prior event status Effective for the subsequent event stored in NSLDS.  Effective for the subsequent event stored in NSLDS.  Effective for the subsequent event stored in Prior event at the Effective for the subsequent event event the subsequent event event the subsequent event ev |       |             |                            | ĺ                       |            |          |       |         | 1                                |                    |            |                                       |                     |       |       | Error             |
| NSLDS or on or after Date Enrollment Status Enrollment Status Effective for the subsequent event stored in prior or on or after Date Enrollment Status  NSLDS. or after Date Enrollment Status Effective for the subsequent event stored in prior experience or after Date Enrollment Status Effective for the subsequent event  |       |             | 1                          | İ                       | I          | I        |       | 1       | 1                                |                    |            |                                       |                     |       | 1     | 1                 |
| Enrollment Status Effective for the subsequent event stored in prior event or on on NSLDS.  Or after Date Enrollment Status Effective for the subsequent event stored in prior event or on on the prior event or event or event event the subsequent event event the subsequent event even |       |             |                            | ĺ                       |            |          |       |         | 1                                |                    |            |                                       |                     |       |       |                   |
| subsequent event stored in prior event or on NSLDS. or after Date Enrollment Status Effective for the subsequent event   |       |             |                            | ĺ                       |            |          |       |         | 1                                |                    |            |                                       |                     |       |       |                   |
| NSLDS. or after Date Enrollment Status Effective for the subsequent event  |       |             |                            | ĺ                       |            |          |       |         | 1                                |                    |            | Enrollment Status Effective for the   | Effective for the   |       |       |                   |
| NSLDS. or after Date Enrollment Status Effective for the subsequent event  |       |             |                            | ĺ                       |            |          |       |         | 1                                |                    |            |                                       |                     |       |       |                   |
| Enrollment Status Effective for the subsequent the   | 1 1   |             | 1                          | İ                       | I          | I        |       | 1       | 1                                |                    |            |                                       |                     |       | 1     | 1                 |
| Effective for the subsequent event   |       |             |                            | 1                       | 1          | I        |       |         | 1                                |                    |            |                                       |                     |       | 1     |                   |
| subsequent event   |       |             |                            | ĺ                       |            |          |       |         | 1                                |                    |            |                                       |                     |       |       |                   |
|  |       |             |                            | ĺ                       |            |          |       |         | 1                                |                    |            |                                       |                     |       |       |                   |
| stored in NSLDS.   |       |             |                            | 1                       | 1          | I        |       |         | 1                                |                    |            |                                       |                     |       | 1     |                   |
|  |       |             |                            | ĺ                       |            |          |       |         | 1                                |                    |            |                                       | stored in NSLDS.    |       |       |                   |
|  |       |             |                            | ĺ                       |            |          |       |         | 1                                |                    |            |                                       |                     |       |       |                   |
|  | 1 1   |             | 1                          | I                       | I          | l        | l     | I       | 1                                | 1                  | l          |                                       |                     |       | 1     |                   |

| Event       |   |   | Change                         |            |             |       |           |  |  | Edit Level | Verifies  | Error  | Field | Error | Error Message                                       |
|-------------|---|---|--------------------------------|------------|-------------|-------|-----------|--|--|------------|---|--|-------|-------|---|
| Name        | Description   | How to Change   | Field                          | Field Code | Position    | Bytes | Туре      | Report   | Result   | 1          |   |  | Code  | Code  |   |
|             |   |   |                                |            |             |       |           |  |  |            | Old Code for Current School must<br>match the value stored in NSLDS.  | Old Code for<br>Current School<br>does not match the<br>value stored in<br>NSLDS.        | 197   | 4752  | Value must match<br>existing value                  |
|             |   |   | Code for Enrollment<br>Status  | 188        | 158         | 1     | Character |  |  |            | Old Date Enrollment Status<br>Effective must exist in history.  | Old Date<br>Enrollment Status<br>Effective does not<br>exist.                            | 186   | 4753  | Old value does<br>not exist                         |
|             |   |   |                                |            |             |       |           |  |  |            | Old Code for Current School must<br>exist in history.   | Old Code for<br>Current School<br>does not exist.  | 197   | 4753  | Old value does<br>not exist                         |
|             |   |   |                                |            |             |       |           |  |  |            | You cannot change a date in history to equal another date in history.   | Date submitted<br>equals New Date<br>Enrollment Status<br>Effective already<br>on NSLDS. | 187   | 4754  | New value<br>already exists                         |
| Loan Refund | The Federal Direct Loan PPC<br>process no longer supports<br>the Loan Refund event. |   |                                |            |             |       |           |  |  |            |   |  |       |       |   |
| Loan Status | Changing the Date of Loan<br>Status and/or the Code for<br>Loan Status in NSLDS     | Determine the history:  | Date of Loan Status<br>(only)  | 162        | 65-72 (Old) | 8     | Date      | Old Date of Loan Status (positions<br>65-72) as it is in NSLDS history                         | NSLDS changes Date of Loan<br>Status stored in history to your<br>new date and leaves Code for                           | Domain     | Must be a valid date.   | Invalid date.  | 162   | 4726  | Invalid Date  |
|             | history or deleting an event.   | Date of Loan Status<br>(on the date in history)   |                                | 163        | 73-80 (New) | 8     | Date      | New Date of Loan Status<br>(positions 73-80) when Code for Loan<br>Status became effective     | Loan Status unchanged.   |            | Must be a valid date.   | Invalid date.  | 163   | 4726  | Invalid Date  |
|             |   | <ul> <li>Code for Loan Status<br/>(on the date in history)</li> </ul>                               |                                |            |             |       |           | Code for Loan Status (positions 81-82)<br>as blanks  |  | Record     | Loan must exist in NSLDS.   | Loan not found.  | 156   | 254   | Loan not found                                      |
|             |   | To change an event,<br>include Loan Identifiers<br>and Old Date of Loan<br>Status (key), and either | Code for Loan Status<br>(only) | 164        | 81-82       | 2     | Character | Old Date of Loan Status (positions<br>65-72) as it is in NSLDS history                         | NSLDS changes Code for Loan<br>Status stored in history to your<br>new code and leaves Date of<br>Loan Status unchanged. |            | Student must exist in NSLDS.  | Student not found.   | 152   | 257   | Student not found                                   |
|             |   | To delete an event, include<br>Loan Identifiers and Old<br>Date of Loan Status (key),               |                                |            |             |       |           | New Code for Loan Status<br>(positions 81-82)  |  |            | NSLDS determines whether conflicting date exists with respect to SSN.   |  | 152   | 408   | Student SSN<br>currently used by<br>another student |
|             |   | and populate New Date of<br>Loan Status and Code for<br>Loan Status fields with<br>default values.  |                                |            |             |       |           | '00000000' in New Date of Loan Status<br>(positions 73-80)                                     |  |            | If New Date of Loan Status field contains a value other than zeros, or Code for Loan Status field contains a value other than spaces, there must be a corresponding value in Old Date of Loan Status. | No corresponding<br>Old Date of Loan<br>Status.  | 162   | 4001  | Field is Required                                   |
|             |   |   | Date of Loan Status            | 162        | 65-72 (Old) | 8     | Date      | Old Date of Loan Status (positions<br>65-72) as it is in NSLDS history                         | NSLDS changes Date of Loan<br>Status and Code for Loan Status<br>stored in history to your new                           |            | Must be a valid code from the<br>Loan Status Codes table.   | Invalid code.  | 164   | 4002  | Invalid Code  |
|             |   |   | and                            | 163        | 73-80 (New) | 8     | Date      | New Date of Loan Status<br>(positions 73-80) when new Code for<br>Loan Status became effective | date and code.   | Load       | Date change falls in acceptable range in relation to historical data.   | Date sequence<br>error.  | 163   | 525   | Date sequence<br>error                              |
|             |   |   |                                |            |             |       |           | Code for Loan Status (positions 81-82)   |  |            | stored in NSLDS or after the Date   | Date of Loan<br>Status is on or<br>before Date of<br>Loan Status in<br>NSLDS.            | 163   | 4750  | Event Sequence<br>Error                             |
|             |   |   | Code for Loan Status           | 164        | 81-82       | 2     | Character |  |  |            | Cannot update or delete a current value or event.   | a current value.   | 162   | 4751  | PPC<br>Correction/delete<br>not allowed             |
|             |   |   |                                |            |             |       |           |  |  |            | in NSLDS.   | Old Date of Loan<br>Status does not<br>match value stored<br>in NSLDS.                   | 162   |       | Old value does<br>not exist                         |
|             |   |   |                                |            |             |       |           |  |  |            | You cannot change a date in<br>history to equal another date in<br>NSLDS.   | New Date of Loan<br>Status already<br>exists.  | 163   | 4754  | New value<br>already exists                         |

94.3.3 NSLDS II Detailed Design 11/08/2002

| Event             |  |   | Change  |            |                  |       |      |   |  | Edit Level | Verifies  | Error   | Field | Error | Error Message                                       |
|-------------------|--|---|---|------------|------------------|-------|------|---|--|------------|---|---|-------|-------|---|
| Name              | Description  | How to Change   | Field   | Field Code | Position         | Bytes | Type | Report  | Result   | 1          |   |   | Code  | Code  |   |
| Loan Transfer     | Changing the Date of<br>Responsibility Transferred<br>when the latest transfer was   | Determine the history:  | Date of Responsibility<br>Transferred In or Out | 194        | 159-166<br>(Old) | 8     | Date | 166) as it is in NSLDS history  | NSLDS changes Date of<br>Responsibility Transferred In or<br>Out.  | Domain     | Must be a valid date.   | Invalid date.   | 194   | 4726  | Invalid Date  |
|                   | made or deleting an event.   | · Old Date of<br>Responsibility Transferred<br>In or Out (in history)   |   | 195        | 167-174<br>(New) | 8     | Date | New Date of Responsibility Transferred<br>In or Out (positions 167-174) as it<br>should be        |  |            | Must be a valid date.   | Invalid date.   | 195   | 4726  | Invalid Date  |
|                   |  | 2. To change an event,<br>include Loan Identifiers<br>and Old Date of<br>Responsibility Transferred<br>In or Out (key), and New<br>Date of Responsibility<br>Transferred In or Out. |   |            |                  |       |      |   |  | Record     | Loan must exist in NSLDS.   | Loan not found.   | 156   | 254   | Loan not found                                      |
|                   |  | To delete an event, include<br>Loan Identifiers and Old   | †   |            |                  |       |      |   |  |            | Student must exist in NSLDS.  | Student not found.  | 152   | 257   | Student not found                                   |
|                   |  | Date of Responsibility<br>Transferred In or Out<br>(key), and populate New  |   |            |                  |       |      |   |  |            | NSLDS determines whether conflicting date exists with respect to SSN.   | Conflicting information exists.   | 152   | 408   | Student SSN<br>currently used by<br>another student |
|                   |  | Date of Responsibility<br>Transferred In or Out field<br>with default value.  |   |            |                  |       |      |   |  |            | other than all zeroes, there must be<br>a corresponding value in Old Date<br>of Responsibility Transferred.   |   |       | 4001  | Field is required                                   |
|                   |  |   |   |            |                  |       |      |   |  | Load       | Date change falls in acceptable range in relation to historical data.   | Date sequence error.  | 195   | 525   | Date sequence<br>error                              |
|                   |  |   |   |            |                  |       |      |   |  |            | New Date of Responsibility Transferred must not be less than or equal to Date of Responsibility Transferred for the prior event stored in NSLDS or after the Date of Responsibility Transferred for the subsequent event stored in NSLDS. | Date of<br>Responsibility<br>Transferred is on<br>or before Date of<br>Loan Status in<br>NSLDS. | 195   | 4750  | Event Sequence<br>Error                             |
|                   |  |   |   |            |                  |       |      |   |  |            | Cannot update or delete a current value or event.   | Updating/deleting<br>a current value.   | 194   | 4751  | PPC<br>Correction/delete<br>not allowed             |
|                   |  |   |   |            |                  |       |      |   |  |            | If Old Date of Responsibility<br>Transferred field contains a value<br>other than all zeros, that date must<br>exist in history and match the<br>value stored in NSLDS.   | Old Date of<br>Responsibility<br>Transferred does<br>not match value<br>stored in NSLDS.        | 5     | 4753  | Old value does<br>not exist                         |
|                   |  |   |   |            |                  |       |      |   |  |            | You cannot change a date in<br>history to equal another date in<br>NSLDS.   | New Date of<br>Responsibility<br>Transferred<br>already exists.                                 | 195   | 4754  | New value<br>already exists                         |
| Repayment<br>Plan | Changing the prior Date<br>Repayment Plan Entered,<br>Repayment Plan Type,<br>and/or the Repayment Plan<br>Term, or deleting an event. | Determine the history:  | Date Repayment Plan<br>Entered (only)           | 165        | 83-90 (Old)      |       | Date | NSLDS history   | NSLDS changes Date<br>Repayment Plan Entered in<br>history to your new date and<br>leaves Repayment Plan Type<br>and Term unchanged. | Domain     | Must be a valid date.   | Invalid date.   | 165   | 4726  | Invalid Date  |
|                   |  | Old Date Repayment<br>Plan Entered (on the date<br>in history)  |   | 166        | 91-98 (New)      | 8     | Date | New Date Repayment Plan<br>Entered (positions 91-98) when<br>Repayment Plan Type became effective | New Date Repayment Plan Entered (positions 91-98) when Repayment Plan Type became effective  |            | Must be a valid date.   | Invalid date.   | 166   | 4726  | Invalid Date  |

| Event |             |                                       | Change              |            |                |       |           |   |                                  | Edit Level | Verifies                              | Error               | Field | Error | Error Message     |
|-------|-------------|---------------------------------------|---------------------|------------|----------------|-------|-----------|---|----------------------------------|------------|---------------------------------------|---------------------|-------|-------|-------------------|
| Name  | Description | How to Change                         | Field               | Field Code | Position       | Bytes | Type      | Report                                      | Result                           |            |                                       |                     | Code  | Code  |                   |
|       | ·           | <ol><li>To change an event,</li></ol> |                     |            |                |       |           | New Repayment Plan Type (positions          | New Repayment Plan Type          |            | Must be a valid type.                 | Invalid type.       | 167   | 4726  | Invalid Date      |
|       |             | include Loan Identifiers,             |                     |            |                |       |           | 99-100) and New Repayment Plan Term         |                                  |            | 31                                    | 31                  |       |       |                   |
|       |             | Old Date Repayment Plan               |                     |            |                |       |           | (positions 101-103) as blanks               | Repayment Plan Term (positions   |            |                                       |                     |       |       |                   |
|       |             | Entered (key) and either              |                     |            |                |       |           |   | 101-103) as blanks               |            |                                       |                     |       |       |                   |
|       |             | New Date Repayment Plan               |                     |            |                |       |           |   | ,                                |            |                                       |                     |       |       |                   |
|       |             | Entered, New Repayment                |                     |            |                |       |           |   |                                  |            |                                       |                     |       |       |                   |
|       |             | Plan Type, New                        |                     |            |                |       |           |   |                                  |            |                                       |                     |       |       |                   |
|       |             | Repayment Plan Term, or               |                     |            |                |       |           |   |                                  |            |                                       |                     |       |       |                   |
|       |             | all three.                            |                     |            |                |       |           |   |                                  |            |                                       |                     |       |       |                   |
|       |             |                                       |                     |            |                |       | <u> </u>  |   |                                  |            |                                       |                     |       |       |                   |
|       |             | To delete an event, include           |                     | 167        | 99-100         | 2     | Character | · Old Date Repayment Plan                   | NSLDS changes Repayment          |            | Must be a valid term.                 | Invalid term.       | 168   | 4726  | Invalid Date      |
|       |             | Loan Identifiers, Old Date            | (only)              |            |                |       |           |   | Plan Type in history to your     |            |                                       |                     |       |       |                   |
|       |             | Repayment Plan Entered                |                     |            |                |       |           | NSLDS history                               | new type and leaves Repayment    |            |                                       |                     |       |       |                   |
|       |             | (key) and populate New                |                     |            |                |       |           | <ul> <li>New Repayment Plan Type</li> </ul> | Plan Dates and Repayment Plan    | Record     | Loan must exist in NSLDS.             | Loan not found.     | 156   | 254   | Loan not found    |
|       |             | Date Repayment Plan                   |                     |            |                |       |           | (positions 99-100)                          | Term unchanged.                  |            |                                       |                     |       |       |                   |
|       |             | Entered, New Repayment                |                     |            |                |       |           | New Date Repayment Plan Entered             |                                  |            | Student must exist in NSLDS.          | Student not found.  | 152   | 257   | Student not found |
|       |             | Plan Type, and New                    |                     |            |                |       |           | (positions 91-98) and New Repayment         |                                  |            |                                       |                     |       |       |                   |
|       |             | Repayment Plan Term                   |                     |            |                |       |           | Plan Term (positions 101-103) as blanks     |                                  |            |                                       |                     |       |       |                   |
|       |             | fields with default values.           |                     |            |                |       |           |   |                                  |            |                                       |                     |       |       |                   |
|       |             |                                       | Repayment Plan Term | 168        | 101-103        | 2     | Character | Old Date Repayment Plan                     | NSLDS changes Repayment          |            | NSLDS determines whether              | Conflicting         | 152   | 408   | Student SSN       |
|       |             |                                       | (only)              |            |                |       |           |   | Plan Term in history to your     |            | conflicting date exists with respect  | information exists. |       |       | currently used by |
|       |             |                                       | (oliy)              |            |                |       |           |   | new type and leaves Repayment    |            | to SSN.                               |                     |       |       | another student   |
|       |             |                                       |                     |            |                |       |           | New Repayment Plan Term                     | Plan Dates and Repayment Plan    |            | If New Date Repayment Plan            | No corresponding    | 105   | 4001  | Field is required |
|       |             |                                       |                     |            |                |       |           | (positions 101-103)                         | Type unchanged.                  |            | Entered, New Repayment Plan           | Old Date            | 103   | 4001  | rieid is required |
|       |             |                                       |                     |            |                |       |           | (positions 101-103)                         | Type unchanged.                  |            | Type, or New Repayment Plan           | Repayment Plan      |       |       |                   |
|       |             |                                       |                     |            |                |       |           |   |                                  |            | Term fields contain a value other     | Entered.            |       |       |                   |
|       |             |                                       |                     |            |                |       |           |   |                                  |            |                                       | Entered.            |       |       |                   |
|       |             |                                       |                     |            |                |       |           |   |                                  |            | than zeroes, there must be a          |                     |       |       |                   |
|       |             |                                       |                     |            |                |       |           |   |                                  |            | corresponding value in Old Date       |                     |       |       |                   |
|       |             |                                       |                     |            |                |       |           |   |                                  |            | Repayment Plan Entered.               |                     |       |       |                   |
|       |             |                                       |                     |            |                |       |           |   |                                  |            |                                       |                     |       |       |                   |
|       |             |                                       |                     |            |                |       |           | New Date Repayment Plan Entered             |                                  |            | If Old Date Repayment Plan            | No corresponding    | 166   | 4001  | Field is required |
|       |             |                                       |                     |            |                |       |           | (positions 91-98) and New Repayment         |                                  |            | Entered, New Repayment Plan           | New Date            |       |       |                   |
|       |             |                                       |                     |            |                |       |           | Plan Type (positions 99-100) as blanks      |                                  |            | Type, or New Repayment Plan           | Repayment Plan      |       |       |                   |
|       |             |                                       |                     |            |                |       |           |   |                                  |            | Term fields contain a value other     | Entered.            |       |       |                   |
|       |             |                                       |                     |            |                |       |           |   |                                  |            | than zeroes, there must be a          |                     |       |       |                   |
|       |             |                                       |                     |            |                |       |           |   |                                  |            | corresponding value in New Date       |                     |       |       |                   |
|       |             |                                       |                     |            |                |       |           |   |                                  |            | Repayment Plan Entered.               |                     |       |       |                   |
|       |             |                                       |                     |            |                |       |           |   |                                  |            |                                       |                     |       |       |                   |
|       |             |                                       |                     |            |                |       |           |   |                                  |            |                                       |                     |       |       |                   |
|       |             |                                       | Date Repayment Plan | 165        | 83-90 (Old)    | 8     | Date      | · Old Date Repayment Plan                   | NSLDS changes Date               |            | If Old Date Repayment Plan            | No corresponding    | 167   | 4001  | Field is required |
|       |             |                                       | Entered             |            |                |       |           |   | Repayment Plan Entered and/or    |            | Entered, New Date Repayment           | New Repayment       |       |       |                   |
|       |             |                                       |                     |            |                |       |           |   | Repayment Plan Type and/or       |            | Plan Entered, or New Repayment        | Plan Type.          |       |       |                   |
|       |             |                                       |                     |            |                |       |           |   | Repayment Plan Term in history   |            | Plan Term fields contain a value      |                     |       |       |                   |
|       |             |                                       |                     |            |                |       |           |   | to your new date, type, or term. |            | other than zeroes, there must be a    |                     |       |       |                   |
|       |             |                                       |                     |            |                |       |           |   |                                  |            | corresponding value in New            |                     |       |       |                   |
|       |             |                                       |                     |            |                |       |           |   |                                  |            | Repayment Plan Type.                  |                     |       |       |                   |
|       |             |                                       |                     |            |                |       |           |   |                                  |            |                                       |                     |       |       |                   |
|       |             |                                       |                     | 166        | 91-98 (New)    | 8     | Date      | New Repayment Plan Term                     |                                  |            | If Old Date Repayment Plan            | No New              | 168   | 4001  | Field is required |
|       |             |                                       |                     | 100        | 31 30 (I VCVV) | ľ     | Date      | (positions 101-103)                         |                                  |            | Entered, New Date Repayment           | Repayment Plan      | 100   | 1001  | ricia is required |
|       |             |                                       |                     |            |                |       |           | (positions 101-103)                         |                                  |            | Plan Entered, or New Repayment        | Term.               |       |       |                   |
| 1     |             |                                       |                     | l          |                |       |           |   |                                  |            | Plan Type fields contain a value      |                     |       |       |                   |
| 1     |             |                                       |                     | l          | 1              |       |           |   |                                  |            | other than zeroes, there must be a    | Ī                   |       | 1     | ]                 |
| 1     |             |                                       |                     | l          | 1              |       |           |   |                                  |            | corresponding value in New            | Ī                   |       | 1     |                   |
| 1     |             |                                       |                     | l          |                |       | 1         |   |                                  |            | Repayment Term.                       |                     |       |       |                   |
| 1     |             |                                       |                     | l          | 1              |       |           |   |                                  |            | acpayment reini.                      | Ī                   |       | 1     | ]                 |
| 1     |             |                                       |                     | l          |                |       |           |   |                                  |            |                                       |                     |       |       |                   |
|       |             |                                       | and                 |            |                |       |           | New Date Repayment Plan                     |                                  | Load       | Date change falls in acceptable       | Date sequence       | 166   | 525   | Date sequence     |
| 1     |             |                                       |                     | l          | 1              |       |           | Entered (positions 91-98)                   |                                  |            | range in relation to historical data. | error.              |       | 1     | error             |
|       |             |                                       |                     | l          |                |       |           |   |                                  |            |                                       |                     |       |       |                   |
|       |             |                                       |                     | l          |                |       | 1         | New Repayment Plan Type (positions          |                                  |            | New Date of Repayment Plan            | Date of             | 166   | 4750  | Event Sequence    |
|       |             |                                       |                     | l          |                |       | 1         | 99-100)                                     |                                  |            | Entered must not be less than or      | Repayment Plan      |       |       | Error             |
|       |             |                                       |                     | l          | 1              |       |           |   |                                  |            | equal to Date of Repayment Plan       | Entered is on or    |       | 1     |                   |
|       |             |                                       |                     | l          |                |       |           |   |                                  |            | Entered for the prior event stored    | before Date of      |       |       |                   |
|       |             |                                       |                     | l          |                |       |           |   |                                  |            | in NSLDS or after the Date of         | Repayment Plan      |       |       |                   |
|       |             |                                       |                     | l          |                |       |           |   |                                  |            | Repayment Plan Entered for the        | Entered in NSLDS.   |       |       |                   |
|       |             |                                       |                     | l          | 1              |       |           |   |                                  |            | subsequent event stored in            | 1                   |       | 1     | ]                 |
|       |             |                                       |                     | l          | 1              |       |           |   |                                  |            | NSLDS.                                | Ī                   |       | 1     | ]                 |
| 1     |             |                                       | D T                 | 107        | 00 100         | 9     | Chanastar | 1   |                                  |            |                                       | Undating /dal-41    | 100   | 4751  | PPC               |
| 1     |             |                                       | Repayment Plan Type | 167        | 99-100         | ۷     | Character |   |                                  |            |                                       | Updating/deleting   | 100   | 4751  |                   |
| 1     |             |                                       |                     | l          | 1              |       |           |   |                                  |            | value or event.                       | a current value or  |       | 1     | Correction/delete |
| I     | l           |                                       | l                   | l          | I              | l     | 1         | I   |                                  |            |                                       | event.              |       |       | not allowed       |
|       |             |                                       |                     |            |                |       |           |   |                                  |            |                                       |                     |       |       |                   |

| Event |             |               | Change                  |            |          |       |           |        |        | Edit Level | Verifies  | Error  |      | Error | Error Message               |
|-------|-------------|---------------|-------------------------|------------|----------|-------|-----------|--------|--------|------------|---|--|------|-------|-----------------------------|
| Name  | Description | How to Change | Field                   | Field Code | Position | Bytes | Type      | Report | Result |            |   |  | Code | Code  |                             |
|       |             |               |                         |            |          |       |           |        |        |            | Entered field contains a value other than all zeros, that date must | Old Date of Loan<br>Status does not<br>match value stored<br>in NSLDS. |      |       | Old value does<br>not exist |
|       |             |               | and Repayment Plan Term | 168        | 101-103  | 2     | Character |        |        |            | history to equal another date in                                    | New Date<br>Repayment Plan<br>Entered already                          | 165  |       | New value<br>already exists |